



Town of Blades
OFFICE OF MAYOR & COUNCIL
20 W Fourth Street
Blades, Delaware 19973-4122
(P) 302.629.7366 (F) 302.629.0199

January 30th, 2012
Public Hearing Minutes
Hardin Hall

APPROVED

Present: Mayor Michael J Smith, Vice-Mayor Russell Joseph, Councilman Robert Atkinson, Councilman BJ Hardin, Councilwoman Christena King, Town Administrator Vikki Prettyman
Absent: Councilman Earl Chaffinch, Sr.

Meeting Opened at 7:00pm with the Lord's Prayer and the Pledge of Allegiance.

Sign in sheet is attached to the permanent record with the resolutions calling for said public hearing.

Jason Loar with Davis, Bowen, and Friedel spoke regarding the need for a back up well. The town needs to be pro-active rather than reactive. The back up well is for alternating use to save the life of our existing wells. Mr. Loar spoke regarding the flow numbers of the existing wells and what the wells were designed to pump versus what they are pumping. The location has not been pinpointed at this time but will be looked into.

David Ruff; wasn't Triangle Park thought of? Yes at this time all the engineering reports are using Triangle Park as the placement of the well. It comes recommended because of the distance of the well to the current wells and ability to get pipes to the water plant.

We will know placement in the design phase and a test well may be necessary.

The public hearing closed at 8:04pm.

SPECIAL MEETING at 8:04pm

Resolution 2012.01.30 read, motion to accept the motion by Councilman Hardin; seconded by Councilwoman King; motion passed.

Mayor closed the meeting at 8:14pm.

Respectfully Submitted,

Vikki Prettyman
Town Administrator