



BLADES POLICE DEPARTMENT  
BLADES, DELAWARE

MEMORANDUM

TO: Mayor Michael Smith  
Mayor of Blades

FROM: Chief Edwin C. Cooke *EC*  
Chief of Police

THROUGH: Mr. Earl E. Chaffinch Sr.  
Police Commissioner

SUBJECT: **Monthly Report November 2013**

DATE: December 9, 2013

**Traffic and Criminal Activity Statistics:**

Traffic Arrest: (16)                      Criminal Arrest: (0)

DUI Arrest: (0)                              Criminal Complaints: (30)

29P Local Fugitive (0)                      Domestic Related (7)

**Vehicle Report**


Crown Victoria 2001	Mileage	(131908)	Fuel	(80)
Ford Crown Vic 2009	Mileage	(64878)	Fuel	(24)
Dodge Durango (2005)	Mileage	(145329)	Fuel	(111)
Hummer (1993)	Mileage	(18505)	Fuel	(0)
Hummer (1978)	Mileage	(23500)	Fuel	(0)

### Significant Event:

1. On Tuesday, November 11, 2013, Chief Edwin Cooke attended the Delaware Chiefs' Council meeting held at the Dover Police Department in Dover, Delaware.
2. On Thursday, November 14, 2013, Cpl. Nathan Benson attended the Validations (active warrant update training) four hour block of instructions taught by Delaware State Police SBI in Dover, Delaware.
3. On Wednesday, November 20, 2013, Chief Edwin Cooke attended the Sussex County Police Chiefs' Association meeting held at the Bay Leaf Restaurant in Milton, Delaware.
4. On Thursday, November 21, 2013, Cpl. Nathan Benson and Chief Edwin Cooke attended the DELJIS four hour block of instruction on warrant creation - LEISS reports taught at DELJIS in Dover, Delaware.
5. On Monday, November 25, 2013, Chief Edwin Cooke volunteered his time to assist in packing over 7,500 Thanksgiving dinner boxes at Mountaire Poultry in Selbyville, Delaware. These boxes were distributed to thousands of families to help feed those that otherwise may not have enjoyed such table fair. Blades Police Department distributed ten (10) Thanksgiving boxes to families in Town.
6. On Wednesday, December 4, 2013, Cpl. Nathan Benson attended the one day Background Investigator Course held at the Delaware State Police Academy in Dover, Delaware.



Traffic Arrests	DUI Arrests	29P(s)	Criminal Arrests	Criminal Complaint	Domestic Related
16	0	0	0	30	7





**Town of Blades**  
Water & Maintenance Department

Month/Year: November 2013

Vehicle 1: 2008 GMC Sierra Monthly Total Fuel: \$ 359.90

Starting Mileage: 42,950 Ending Mileage: 43,997 Total Mileage: 1,047

Vehicle 2: 1995 Ford F250 Monthly Total Fuel: \$50.00

Starting Mileage: 73,836 Ending Mileage: 73,948 Total Mileage: 112

Vehicle 3: 1995 Chevy D/T Monthly Total Fuel: 0

Starting Mileage: 21,389 Ending Mileage: 21,393 Total Mileage: 4

Maintenance 1: Gas Cans Monthly Total Fuel: 0

Maintenance 2: Backhoe Monthly Total Fuel: 0 Total Hours: 202.73

Complaints: 0 Disconnects: 2 Reconnects: 1

After Hour Calls: 2 After Hour Response: 2

Town Water Leaks: 0 Other Water Leaks: 1

Water Pumped for Month: Well #1: 1,469,600 Gallons Hours: 195.00

Well #2: 1,314,100 Gallons Hours: 163.50

Total: 2,783,700 Gallons Hours: 358.50

Actual meter reading date: Dec 1st

Chemicals Ordered: Caustic Soda: 0 Gallons Chlorine: 0 Gallons

Corrosion Control: 0 Gallons Permanganate: 0 lbs.

Fluoride: 0 lbs.

Snow plowing: 0 Hours Salt spreading: 0 Hours

Comments: \_\_\_\_\_



Brandon Slater, DE Water Operator #10

DIVISION OF PUBLIC HEALTH  
OFFICE OF DRINKING WATER PROGRAM  
WATER WORKS REPORT

Supply Name Town of Blades

PWSID# 865 Month November Year 2013

Date	Time	Sample Point	Fluoride		Chlorine		pH	Turbidity Surface Water Only	Other	Remarks
			lbs. or GPD	mg/l.	lbs. or GPD	Res. - mg/L Treated Water				
1	9:15	plant	1513	0.87		1.04	6.9	0.05	Mans.	FD.
2	12:00	plant	1813	0.86		0.97	6.7	0.05	0.05	FD
3	1:00pm	plant	1814	0.91		0.86	6.4	0.03	0.05	BS
4	8:40	plant	1514	0.80		0.74	6.3	0.03	0.05	FD
5	9:05	plant	1514	0.82		0.81	6.4	0.02	0.05	FD
6	9:00	plant	1815	0.95		1.58	6.3	0.06	0.02	FD
7	11:00	plant	1815	0.91		1.32	6.4	0.05	0.03	FD
8	10:30	plant	1816	0.84		1.03	6.3	0.04	0.02	FD
9	9:25	plant	1916	0.90		1.13	6.4	0.05	0.02	FD
10	11:10	plant	1517	0.84		1.27	6.7	0.04	0.03	FD
11	9:35	plant	1517	1.15		1.13	6.4	0.02	0.02	FD
12	1:30	plant	1818	0.84		1.23	6.4	0.07	0.02	FD
13	8:50	plant	1818	0.96		1.16	6.4	0.05	0.03	FD
14	10:00	plant	1818	0.84		1.09	6.3	0.03	0.05	BS
15	9:40	plant	1819	0.85		1.20	6.4	0.03	0.05	FD
16	1:40	plant	1519	0.81		1.16	6.3	0.04	0.02	FD
17	10:00	plant	1820	0.76		1.27	6.7	0.04	0.02	FD
18	9:10	plant	1820	0.82		1.15	6.4	0.04	0.05	BS
19	8:55	plant	1820	0.81		1.07	6.7	0.03	0.00	FD
20	9:30	plant	1521	0.78		1.04	6.3	0.04	0.02	FD
21	9:50	plant	1522	0.90		0.88	6.3	0.09	0.05	FD
22	9:15	plant	1521	0.84		0.96	6.4	0.07	0.04	FD
23	11:10	plant	1522	0.93		0.99	6.5	0.05	0.02	FD
24	10:30	plant	1822	1.09		1.05	6.5	0.07	0.05	FD
25	9:30	plant	1822	1.11		1.14	6.4	0.06	0.03	BS
26	10:30	plant	1822	0.91		1.03	6.3	0.04	0.03	FD
27	11:00	plant	1823	0.87		1.11	6.5	0.06	0.05	FD
28	8:30	plant	1823	1.10		0.91	6.7	0.04	0.04	FD
29	3:00	plant	1624	1.15		0.93	6.6	0.05	0.05	FD
30	12:00	plant	1624	1.03		0.98	6.5	0.07	0.04	FD
31										FD

Sent to Division of Public Health

Office of Drinking Water  
Blue Hen Corporate Center  
655 Bay Road, Suite 203  
Dover, DE 19901

  
Signature

Water Super 1'sor

**Town of Blades**  
Monthly Well Reading Report

Month of November Year 2013

Day	Well #1 GPM	Hours On	Well #2 GPM	Hours On	Backwash Check	Initials
1	2307893	3557.7	2149619	1286.7	✓	JL
2	2308513	3565.9	2149945	1290.7	✓	JL
3	2308934	3571.5	2150200	1294.0	✓	BS
4	2309341	3577.0	2150744	1300.8	✓	JL
5	2309890	3584.4	2151389	1308.9	✓	JL
6	2309905	3584.7	2152287	1320.0	✓	JL
7	2310607	3594.2	2152679	1325.2	✓	JL
8	2311342	3604.2	2152900	1328.0	✓	JL
9	2311722	3609.5	2153299	1333.1	✓	JL
10	2312382	3618.7	2153692	1338.1	✓	JL
11	2312639	3622.1	2154184	1344.5	✓	JL
12	2313472	3633.6	2154721	1351.9	✓	JL
13	2314062	3640.7	2155012	1354.6	✓	JL
14	2314335	3644.9	2155630	1362.2	✓	BS
	2314841	3651.6	2156023	1367.1	✓	JL
16	2315625	3661.9	2156396	1371.7	✓	JL
17	2316033	3667.1	2156833	1377.0	✓	BS
18	2316545	3675.1	2157026	1379.4	✓	JL
19	2317150	3681.7	2157523	1385.5	✓	JL
20	2317757	3689.5	2158018	1391.6	✓	JL
21	2318074	3693.6	2158572	1398.4	✓	JL
22	2318497	3699.2	2159113	1405.1	✓	JL
23	2319182	3707.8	2159527	1410.1	✓	JL
24	2319644	3714.1	2159767	1413.1	✓	BS
25	2319997	3718.7	2160483	1422.0	✓	JL
26	232059	3726.1	2161009	1428.6	✓	JL
27	2321208	3734.7	2161485	1434.5	✓	JL
28	2321755	3741.5	2161557	1439.3	✓	JL
29	2322140	3746.8	2162325	1445.4	✓	JL
30	2322585	3752.7	2162760	1450.2	✓	JL
31						
al	1469600	195.0	1314100	163.50		

Total Gallons 2783,200

Total Hours 358.50

Town OF Blades  
Monthly Effluent Flow Meter Report

Month of November

Year 2013

Day	Effluent Flow Meter	Initials
1	46645015	JD
2	46655259	JD
3	46662784	BS
4	46672723	JD
5	46685147	JD
6	46694532	JD
7	46708207	JD
8	46716041	JD
9	46724195	JD
10	46735128	JD
11	46742985	JD
12	46758841	JD
13	46765421	JD
14	46775965	BS
15	46784782	JD
16	46796776	JD
17	46805402	BS
18	46813580	JD
19	46823850	JD
20	46835107	JD
21	46849363	JD
22	46854484	JD
23	46885935	JD
24	46873857	BS
25	46884337	JD
26	46895374	JD
27	46907190	JD
28	46913274	JD
29	46925587	JD
30	46934787	JD
31		
Total	2887720	

Total Gallons 2,887,720

December 9, 2013

Parks and Cemetery Report.

A grant for \$2,500.00 was awarded to the Town from the County Council for new equipment that will be going in the park.. County Council President Mike Vincent presented the request on our behalf. We would like to Thank Council President Vincent for his help.

We will be sending letters out to various businesses and organizations requesting donations for park equipment, This will be used to help secure matching funds from the State.

Brandon notified me about some damage to the new flag poles that were installed around the monument. One of the retainer rings around the base had been damaged and one of the poles showed signs of someone or something hitting the pole.

New Merry Go Round type ride awaiting installation.


Camera in the Park had been having trouble sending the signal from the water tower to the Town hall.

A concern was brought to the Town about a potential problem in the cemetery, the Town Administrative staff is aware and will be looking into the matter.

Meetings Attended:

Attended two Council workshop's on Budget

Respectively submitted,



David L. Ruff

Parks & Cemetery Commissioner



Town of Blades  
OFFICE OF MAYOR & COUNCIL  
20 W Fourth Street  
Blades, Delaware 19973-4122  
(P) 302.629.7366 (F) 302.629.0199

## **Code Enforcement Report**

**November 2013**

**Ordinance # 330 (trash) 3**

**Complaints 2**

**Rental Inspections 9**

**Mileage 2976**

# Town of Blades

Inspection, Repair & Maintenance Record

Vehicle Identification

MONTH November 13

2013 CHEVY SONIC

Tire Size \_\_\_\_\_

WEEKLY SCHEDULED MAINTENANCE	WEEK ONE	WEEK TWO	WEEK THREE	WEEK FOUR	WEEK FIVE	CHECK COMPLETED BY INITIALS
CHECK OIL	✓ 11-11-13	✓ 11-18-13	✓ 11-25-13	✓ 12-2-13	✓ 12-9-13	MT
CHECK ANTI-FREEZE	✓	✓	✓	✓	✓	MT
CHECK TIRES	✓	✓	✓	✓	✓	MT
CHECK TIRE PRESSURE	✓	✓	✓	✓	✓	MT
CHECK OTHER FLUIDS	✓	✓	✓	✓	✓	MT
CHECK SIGNAL LIGHTS/BRAKE LIGHTS	✓	✓	✓	✓	✓	MT
MILEAGE	2508	2625	2750	2868	2976	MT