



BLADES POLICE DEPARTMENT
BLADES, DELAWARE

MEMORANDUM

TO: Mayor Michael Smith
Mayor of Blades

FROM: Chief Edwin C. Cooke *EC*
Chief of Police

THROUGH: Mr. Earl E. Chaffinch Sr.
Police Commissioner

SUBJECT: **Monthly Report June 2014**

DATE: July 14, 2014

Traffic and Criminal Activity Statistics:

Traffic Arrest: (0) Criminal Arrest: (0)

DUI Arrest: (0) Criminal Complaints: (43)

29P Local Fugitive (2) Domestic Related (2)

Vehicle Report

Crown Victoria 2001	Mileage	(133523)	Fuel	(10)
Ford Crown Vic 2009	Mileage	(68396)	Fuel	(98)
Dodge Durango (2005)	Mileage	(153095)	Fuel	(16)
Hummer (1993)	Mileage	(18505)	Fuel	(0)
Hummer (1978)	Mileage	(23500)	Fuel	(0)

Significant Event:


1. On Tuesday, June 10, 2014, Chief Edwin Cooke attended the Delaware Chiefs' Council meeting held at the Dover Police Department in Dover, Delaware.
2. On Wednesday, June 18, 2014, Chief Edwin Cooke attended the Sussex County Police Chiefs' Association meeting held at the Big Daddy's Restaurant in Bridgeville, Delaware.
3. On Sunday, June 21, 2014, Magistrate Court Judge Deborah Keenam administered the Oath of Office to John P. Thompson III thereby officially stating the following.

I, John P. Thompson III, do solemnly swear that I possess the qualifications required by law for the position of Police Officer of the Town of Blades to which I have been awarded, and that I will support the Constitution of the United States of America, the Constitution of the State of Delaware and the Ordinances of the Town of Blades. As a Police Officer for the Town of Blades, I will perform the duties with fidelity and to the best of my ability. I will act in accordance with what I believe to be in the best interest of the Town of Blades and its citizens.

4. On Monday, July 7, 2014, Chief Edwin Cooke successfully completed the online academic requirement to attend the two day practical training course to become a certified TASER Instructor for the CEW [conduct electrical weapon]. The two day practical training to be held at W
5. On Friday, July 11, 2014, Mayor Michael Smith and Chief Edwin Cooke attended the graduation ceremony of the 86th Delaware State Police and the 78th Municipal Police Class held at the Education Humanities Building Delaware State University, Dover, Delaware. Patrolman John P. Thompson III received the outstanding municipal officer of the 78th Municipal Recruit Class presented by the Delaware Police Chiefs' Council chairperson Chief William Topping of Georgetown Police Department.
6. Noteworthy...Chief Edwin Cooke conducted a background investigation on applicant Victor A. Matos – potential police recruit to attend the 79th Municipal Police Class that is scheduled to start on Monday, September 8, 2014.
7. Noteworthy...On Sunday, January 26, 2014, at 1212 hours a masked unknown male suspect entered the Café Milano Restaurant and

displayed a handgun, ordered the owner/victim to open the cash register allowing the suspect to remove the cash from the cash register. Suspect fled the scene on foot. On Saturday, February 1, 2014, the suspect was apprehended within the limits of Blades, arrested and charged with one count of Robbery First, one count of Aggravated Assault and one count of Wearing a Disguise During the Commission of a Felony – defendant appeared at J.P. Court #3 and was committed to Sussex Correctional Institution in default of \$40,000 secured bond. The case was resolved on Wednesday, July 9, 2014, with the defendant sentenced to ten (10) years and six (6) month in jail. Also forfeited are the items seized - collected on the day the incident occurred.

Traffic Arrests	DUI Arrests	29P(s)	Criminal Arrests	Criminal Complaint	Domestic Related
0	0	2	0	43	2



Town of Blades

Planning & Zoning
Meeting Minutes
Date July 7, 2014

Commissioners Present: B J Hardin, Ray Hastings, William Messenger

Public Present:

Deborah Walker

Meeting Called to order at 7:15 PM__ by Acting Chairman Hardin

Old Business

The Commission did not meet in January, February, March, April or May 2014. Minutes of the June 2, 2014 meeting will be submitted by Chairman Reiss.

New Business

Deborah Walker presented plans to pave a driveway at 109 E Seventh St. The Blades Code Enforcement Officer had inspected the site and determined that the paving would not interfere with the water delivery system.

Motion to approve by Messenger, Second by Hastings, Passed

Keith Brown will submit plans for additions to the property at 907 S. Market St. at a later date

Review of the:

Municipal Comprehensive Land Use Plan
and
Development Trends Reporting Project

will take place at a future meeting when all the Commission members are present.

Motion to adjourn by Messenger

Submitted by

William W. Messenger
Commissioner



Town of Blades
OFFICE OF MAYOR & COUNCIL
20 W Fourth Street
Blades, Delaware 19973-4122
(P) 302.629.7366 (F) 302.629.0199

JUL 14 2014

MINUTES
APPROVED

Code Enforcement Report

June 2014

Complaints 3

Certified Letter 1

Ordinance # 330 (Trash) 4

Ordinance # 410(Grass) 3

Rental Inspections 2

Mileage 6925



JUL 14 2014

MINUTES APPROVED

Town of Blades Water & Maintenance Department

Month/Year: June / 2014

Vehicle 1: 2008 GMC Sierra Monthly Total Fuel: \$414.61

Starting Mileage: 49,456 Ending Mileage: 50,446 Total Mileage: 990

Vehicle 2: 1995 Ford F250 Monthly Total Fuel: \$75.00

Starting Mileage: 74,715 Ending Mileage: 74,793 Total Mileage: 78

Vehicle 3: 1995 Chevy D/T Monthly Total Fuel: _____

Starting Mileage: 21,658 Ending Mileage: 21,688 Total Mileage: 30

Maintenance 1: Gas Cans Monthly Total Fuel: 0
Maintenance 2: Backhoe Monthly Total Fuel: \$52.63 Total Hours: 262

Complaints: 0 Disconnects: 2 Reconnects: 1

After Hour Calls: 1 After Hour Response: 1

Town Water Leaks: 1 Other Water Leaks: 0

Water Pumped for Month: Well #1: 2,043,200 Gallons Hours: 267.10

Well #2: 1,47,900 Gallons Hours: 164.00

Total: 3,518,100 Gallons Hours: 431.10

Actual meter reading date: _____

Chemicals Ordered: Caustic Soda: 0 Gallons Chlorine: 0 Gallons

Corrosion Control: 0 Gallons Permanganate: 0 lbs.

Fluoride: 0 lbs.

Snow plowing: N/A Hours Salt spreading: N/A Hours

Comments: _____


Brandon Slater, DE Water Operator #10

DIVISION OF PUBLIC HEALTH
OFFICE OF DRINKING WATER PROGRAM
WATER WORKS REPORT

Supply Name Town of Blades PWSID# 885 Month June Year 2014

Date	Time	Sample Point	Fluoride lbs. or GPD	ng/l.	Chlorine lbs. or GPD	Res. - mg / L Treated Water	pH Treated Water	Turbidity Surface Water Only	Other	Remarks
1	10:45	plant	1895	0.93		0.54	6.2	0.03	Mans.	FD
2	10:00	plant	1895	0.96		1.14	6.5	0.00	0.01	BS
3	8:35	plant	1895	1.11		1.07	6.4	0.00	0.03	FD
4	9:05	plant	1896	1.16		1.04	6.2	0.03	0.05	FD
5	10:25	plant	1896	1.01		0.91	6.3	0.08	0.00	FD
6	11:01	plant	1897	1.13		0.98	6.2	0.06	0.01	FD
7	11:45	plant	1897	0.96		1.11	6.4	0.05	0.02	FD
8	12:00	plant	1897	1.20		0.96	6.5	0.05	0.01	FD
9	10:00	plant	1898	1.07		0.95	6.2	0.04	0.05	BS
10	9:30	plant	1898	0.87		1.06	6.1	0.04	0.00	FD
11	10:30	plant	1898	0.80		0.78	6.5	0.04	0.01	FD
12	9:15	plant	1900	1.00		0.64	7.1	0.03	0.05	BS
13	10:00	plant	1900	0.90		1.67	6.5	0.05	0.05	BS
14	1:45	plant	1900	1.10		1.30	6.2	0.04	0.05	FD
15	12:00	plant	1900	0.90		1.26	6.3	0.05	0.01	FD
16	10:20	plant	1901	0.85		1.30	6.3	0.04	0.02	FD
17	1:00	plant	1901	1.01		1.30	6.3	0.03	0.00	FD
18	1:35	plant	1902	1.05		1.28	6.2	0.02	0.02	FD
19	10:00	plant	1902	0.82		0.81	6.2	0.09	0.00	FD
20	9:00	plant	1903	0.79		1.11	6.2	0.06	0.00	FD
21	11:50	plant	1904	0.87		1.16	6.3	0.05	0.01	FD
22	11:30	plant	1904	0.87		1.06	6.3	0.07	0.00	FD
23	11:00	plant	1904	0.88		1.22	6.3	0.06	0.02	FD
24	2:50	plant	1904	1.18		1.19	6.2	0.03	0.00	FD
25	10:30	plant	1905	1.06		1.21	6.3	0.05	0.01	FD
26	7:30	plant	1905	0.85		1.25	6.2	0.04	0.01	FD
27	10:55	plant	1905	1.11		1.22	6.2	0.07	0.01	FD
28	11:00	plant	1906	0.86		1.19	6.2	0.05	0.00	FD
29	1:00	plant	1906	0.86		1.17	6.2	0.04	0.01	FD
30	8:35	plant	1907	0.86		1.17	6.2	0.07	0.02	FD
31										

MINUTES
APPROVED
JUL 14 2014


Signature

Division of Public Health
Office of Drinking Water
Blue Hen Corporate Center
655 Bay Road, Suite 203
Dover, DE 19901

Town of Blades
Monthly Well Reading Report

MINUTES
APPROVED

Month of June Year 2011

JUL 14 2011

Day	Well #1 GPM	Hours On	Well #2 GPM	Hours On	Backwash Check	Initials
1	2417149	4972.6	2244324	2496.7	down	AD
2	2418219	4986.3	2244779	2475.6	down	BS
3	2418474	4989.6	2245311	2482.3	down	AD
4	2419021	4996.7	2246223	2494.0	down	AD
5	2419713	5005.5	2246544	2498.2	down	AD
6	2420701	5012.2	2247002	2504.1	down	AD
7	2421099	5022.4	2247476	2510.2	down	AD
8	2421541	5029.2	2248025	2517.3	down	BS
9	2422410	5040.2	2248485	2522.5	down	AD
10	2423169	5050.5	2248994	2529.9	down	AD
11	2423688	5057.2	2249641	2538.1	down	BS
12	2423917	5060.2	2250109	2544.1	down	BS
13	2424886	5072.7	2250707	2547.9	down	BS
14	2425455	5079.9	2250901	2554.1	down	AD
15	2426156	5089.0	2251235	2558.7	down	BS
16	2427198	5102.1	2251553	2562.5	down	AD
17	2428134	5114.4	2252032	2568.6	down	AD
18	2428829	5123.9	2252813	2578.7	down	AD
19	2429582	5133.6	2253188	2583.7	down	AD
20	2430582	5133.6	2254367	2598.2	down	AD
21	2430650	5147.6	2254432	2600.1	down	AD
22	2431355	5157.0	2255100	2608.8	down	AD
23	2431823	5163.1	2255775	2617.6	down	AD
24	2432625	5173.0	2256569	2628.1	down	AD
25	2433673	5188.1	2256947	2628.2	down	AD
26	2433826	5190.3	2257510	2640.6	down	AD
27	2435308	5210.3	2257512	2640.7	down	AD
28	2435618	5216.9	2258146	2648.8	✓	AD
29	2436686	5228.3	2258833	2657.5	✓	AD
30	2437587	5239.7	2259073	2660.7	✓	AD
31						
Total	2043200	267.10	1474900	164.00		

Total Gallons 3518,100

Total Hours 431.10

JUL 14 2014

Town OF Blades
Monthly Effluent Flow Meter Report

MINUTES
APPROVED

Month of JUNE

Year 2014

Day	Effluent Flow Meter	Initials
1	48755535	JD
2	48772059	BS
3	48780187	JD
4	48795631	JD
5	48805991	JD
6	48820770	JD
7	48829139	JD
8	48840415	BS
9	48852952	JD
10	48866851	JD
11	48878730	BS
12	48886003	BS
13	48898926	BS
14	48909887	JD
15	48920642	BS
16	48934169	JD
17	48948405	JD
18	48964053	JD
19	489754168	JD
20	48988237	JD
21	48999450	JD
22	49013675	JD
23	49042165	JD
24	49053414	JD
25	49064303	JD
26	49079040	JD
27	49079040	JD
28	49090665	JD
29	49100663	JD
30	49118114	JD
31		
Total	3615,790	

Total Gallons 3,615,790